

## 略歴

1988年 新日鐵入社  
1997年 博士（工学）（筑波大学）  
2012年 会社統合により新日鐵住金  
2019年 社名変更により日本製鉄  
この間、  
1994年 - 1997年 アトムテクノロジー研究体 研究員  
2013年 マックスプランク鉄鋼研究所派遣  
現在に至る  
専門は第一原理計算による鉄鋼材料などの研究開発

## Publication List

1. R. Yoshizaki, T. Iwazumi, H. Sawada, H. Ikeda and E. Matsuura  
Jpn. J. Appl. Phys., Vol. 26, No. 4, (1987) P. L311-L313  
Superconducting Properties of  $\text{La}_{1.85}\text{Sr}_{0.15}\text{CuO}_4$  Made by Hot-Press and Sinter Methods
2. R. Yoshizaki, T. Iwazumi, H. Sawada and E. Matsuura  
Jpn. J. Appl. Phys., Vol. 26, No. 4, (1987) P. 316-317  
Magnetization Property of Annealed  $\text{La}_{1.85}\text{Sr}_{0.15}\text{CuO}_4$  from 300 K to 5 K
3. T. Iwazumi, R. Yoshizaki, H. Sawada, H. Hayashi, H. Ikeda and E. Matsuura  
Jpn. J. Appl. Phys., Vol. 26, No. 4, (1987) P. 383-385  
Weak Flax-Pinning Effect between 230 K and 40 K in  $\text{La}_{1.8}\text{Sr}_{0.2}\text{CuO}_4$
4. T. Iwazumi, R. Yoshizaki, H. Sawada, H. Uwe, T. Sakudo and E. Matsuura  
Jpn. J. Appl. Phys., Vol. 26, No. 4, (1987) P. 386-L387  
Preparation and Property of  $\text{La}_{1.85}\text{Sr}_{0.15}\text{CuO}_4$  Single Crystal
5. H. Sawada, Y. Saito, T. Iwazumi, R. Yoshizaki, Y. Abe and E. Matsuura  
Jpn. J. Appl. Phys., Vol. 26, No. 4, (1987) P. L426-L428  
Study of the infrared properties of  $(\text{La}_{1-x}\text{Sr}_x)_2\text{CuO}_4$
6. T. Iwazumi, R. Yoshizaki, M. Inoue, H. Sawada, H. Hayashi, H. Ikeda and E. Matsuura  
Jpn. J. Appl. Phys., Vol. 26, No. 5, (1987) P. L621-L623  
Identification of a Structure with Two Superconducting Phases in L-Ba-Cu-O System (L=La or Y)
7. H. Sawada, T. Iwazumi, Y. Saito, Y. Abe, H. Ikeda and R. Yoshizaki  
Jpn. J. Appl. Phys., Vol. 26, No. 6, (1987) P. L1054-L1056  
The Dependence of the Superconducting Transition upon the Quench Temperature of  $\text{YBa}_2\text{Cu}_3\text{O}_y$
8. Y. Saito, H. Sawada, T. Iwazumi, Y. Abe, H. Ikeda, R. Yoshizaki  
Solid State Communications, Vol. 64 No. 7, (1987) P. 1047-1050  
Infrared properties of the oxygen-deficient triperovskite  $\text{YBa}_2\text{Cu}_3\text{O}_y$  compound
9. R. Yoshizaki, H. Sawada, T. Iwazumi, Y. Saito, Y. Abe, H. Ikeda, K. Imai and I. Nakai  
Jpn. J. Appl. Phys., Vol. 26, No. 10, (1987) P. L1703-L1706  
Superconductivity and Crystal Structure of  $\text{LaBa}_2\text{Cu}_{3-x}\text{O}_y$  Compounds
10. Y. Saito, R. Yoshizaki, H. Sawada, T. Iwazumi, Y. Abe and E. Matsuura  
Jpn. J. Appl. Phys., Vol. 26-3, (1987) P. 1011  
Infrared Properties of the High Tc Superconductor (La, Y)-Ba-Cu-O and La-Sr-Cu-O Compounds

11. T. Iwazumi, R. Yoshizaki, H. Sawada, Y. Saito, H. Ikeda, Y. Abe and E. Matsuura  
Jpn. J. Appl. Phys., Vol. 26-3, (1987) P. 1065–1066  
Correlation of Layered Structure and Superconductivity in (La, Y)-Ba-Cu-O System
12. R. Yoshizaki, H. Sawada, T. Iwazumi, Y. Saito, Y. Abe, H. Ikeda, I. Nakai  
Novel Superconductivity, (1987) P. 1089–1093  
Oxygen-Intercalation Effect upon Tetragonal-LaBa<sub>2</sub>Cu<sub>3-x</sub>O<sub>y</sub> Compound Samples
13. T. Iwazumi, I. Nakai, M. Izumi, H. Oyanagi, H. Sawada, H. Ikeda, Y. Saito, Y. Abe, K. Takita, R. Yoshizaki  
Solid State Communications, Vol. 65, No. 3, (1988) P. 213–217  
Study on copper valency of high-T<sub>c</sub> superconductor YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-y</sub> by high temperature X-ray absorption spectroscopy
14. R. Yoshizaki, H. Sawada, T. Iwazumi, H. Ikeda  
Physica C: Superconductivity, Vol. 153–155, Part3, (1988) P. 1495–1496  
Anomalous enhancement of fractional volume of superconductivity in La<sub>2</sub>CuO<sub>4-y</sub> due to field cooling process
15. R. Yoshizaki, H. Sawada, T. Iwazumi, H. Ikeda  
Solid State Communications, Vol. 65, No. 12, (1988) P. 1539–1543  
Anomalous enhancement of superconductivity observed in La<sub>2</sub>CuO<sub>4-y</sub>
16. R. Yoshizaki, H. Sawada, T. Iwazumi, H. Ikeda  
Synthetic Metals, Vol. 29, No. 2–3, (1989) P. 735–740  
The 36K and 40K superconductivities of La<sub>2</sub>CuO<sub>4-y</sub>
17. R. Yoshizaki, N. Ishikawa, H. Sawada, E. Kita, A. Tasaki  
Physica C: Superconductivity, Vol. 166, No. 5–6, (1990) P. 417–422  
Magnetic susceptibility of normal state and superconductivity of La<sub>2-x</sub>Sr<sub>x</sub>CuO<sub>4</sub>
18. T. Matsumiya, H. Sawada, W. Yamada and A. Nogami  
Computer Aided Innovation of New Materials (1990) P. 779–784  
An attempt of first principle calculation of alloy phase diagram
19. H. Sawada, A. Nogami and T. Matsumiya  
Computer Aided Innovation of New Materials II (1991) P. 213–216  
First principle calculation of magnetic properties of Fe<sub>16</sub>N<sub>2</sub>
20. H. Sawada, W. Yamada, A. Nogami and T. Matsumiya  
Mat. Res. Soc. Symp. Proc., Vol. 291 (1993) P. 135–141  
A study on first principle calculation of alloy phase diagram by monte carlo simulation
21. H. Sawada, A. Nogami and T. Matsumiya  
Journal of Computer-Aided Materials Design, Vol. 1 (1993) P. 75–84  
Electronic structure analysis of magnetic properties of Fe<sub>16</sub>N<sub>2</sub>
22. H. Sawada, A. Nogami, T. Matsumiya and T. Oguchi  
Phys. Rev. B, Vol. 50, No. 14, (1994) P. 10004–10008  
Structural, electronic, and magnetic properties of Fe<sub>16</sub>N<sub>2</sub>

23. D. Sarma, N. Shanthi, S. Barman, N. Hamada, H. Sawada and K. Terakura  
Phys. Rev. Lett., Vol. 75, No. 6, (1995) P. 1126–1129  
Band Theory for Ground-State Properties and Excitation Spectra of Perovskite  $\text{LaMO}_3$  (M=Mn, Fe, Co, Ni)
24. N. Hamada, H. Sawada and K. Terakura  
J. Phys. Chem. Solids, Vol. 56, No. 12, (1995) P. 1719–1720  
Electronic Band Structure of  $\text{La}_{1-x}\text{Ba}_x\text{MnO}_3$
25. H. Sawada, N. Hamada and K. Terakura  
J. Phys. Chem. Solids, Vol. 56, No. 12, (1995) P. 1755–1757  
Phase Stability and Magnetic Property of  $\text{LaCo}_{1-x}\text{Ni}_x\text{O}_3$
26. Y. Suzuki, T. Katayama, W. Geerts, P. Bruno, and H. Sawada  
Mat. Res. Soc. Symp. Proc., Vol. 382, (1995) P. 237–246  
The Magneto-Optical Quantum Size Effect in bcc-Fe(001) and (110) Ultra Thin Films
27. N. Hamada, H. Sawada and K. Terakura  
Springer Series in Solid-State Sciences, Vol. 119 Spectroscopy of Mott Insulators and Correlated Metals, (1995) P. 95–105  
Electronic Band Structures of  $\text{LaMO}_3$  (M=Ti, V, Cr, ..., Ni, Cu) in the Local Spin-Density Approximation
28. H. Sawada, N. Hamada, K. Terakura and T. Asada  
Modelling and Simulation for Materials Design, (1995) P. 73–78  
The spin and orbital orderings in perovskite transition metal oxides
29. H. Sawada, N. Hamada, K. Terakura and T. Asada  
Phys. Rev. B, Vol. 53, No. 19, (1996) P. 12742–12749  
Orbital and spin orderings in  $\text{YVO}_3$  and  $\text{LaVO}_3$  in the generalized gradient approximation
30. K. Nakajima, H. Sawada, T. Katayama and T. Miyazaki  
Phys. Rev. B, Vol. 54, No. 22, (1996) P. 15950–15957  
Effects of surface and interface on the magneto-optical properties in (Co, Ni)/Cu(001) ultrathin films
31. H. Sawada, N. Hamada and K. Terakura  
Physica B, Vol. 237–238, (1997) P. 46–47  
Theoretical study of orbital ordering in  $\text{YTiO}_3$
32. N. Hamada, H. Sawada, I. Solovyev and K. Terakura  
Physica B, Vol. 237–238, (1997) P. 11–13  
Electronic band structure and lattice distortion in perovskite transition-metal oxides
33. H. Sawada, Y. Morikawa, K. Terakura and N. Hamada  
Phys. Rev. B, Vol. 56, No. 19, (1997) P. 12154–12160  
Jahn-Teller distortion and magnetic structures in  $\text{LaMnO}_3$
34. 寺倉清之、澤田英明、I. Solovyev, 浜田典昭  
固体物理, Vol. 32, No. 4, (1997) P. 273–283  
ペロフスカイト遷移金属酸化物の構造、電子状態、磁性

35. H. Sawada, Y. Morikawa, K. Terakura and N. Hamada  
Journal of Magnetism and Magnetic Materials, Vol. 117–181, (1998) P. 879–880  
Jahn-Teller distortion and magnetic structures in LaMnO<sub>3</sub>
36. H. Sawada and K. Terakura  
Phys. Rev. B, Vol. 58, No. 11, (1998) P. 6831–6836  
Orbital and magnetic orderings in localized t<sub>2g</sub> systems, YTiO<sub>3</sub> and YVO<sub>3</sub>: comparison with more itinerant e<sub>g</sub> system, LaMnO<sub>3</sub>
37. Z. Fang, K. Terakura, H. Sawada, T. Miyazaki, and I. Solovyev  
Phys. Rev. Lett., Vol. 81, No. 5, (1998) P. 1027–1030  
Inverse versus Normal NiAs Structures as High Pressure Phases of FeO and MnO
38. K.-I. Kobayashi, T. Kimura, H. Sawada, K. Terakura and Y. Tokura  
Nature, Vol. 395, No. 6703, (1998) P. 677–680  
Ordered perovskite as a magnetoresistive oxide material working at room temperature
39. Z. Fang, I. V. Solovyev, H. Sawada and K. Terakura  
Phys. Rev. B, Vol. 59, No. 2, (1999) P. 762–774  
First-principles study on electronic structures and phase stability of MnO and FeO under high pressure
40. K.-I. Kobayashi, T. Kimura, Y. Tomioka, H. Sawada, K. Terakura and Y. Tokura  
Phys. Rev. B, Vol. 59, No. 17, (1999) P. 11159–11162  
Intergrain tunneling magnetoresistance in polycrystals of the ordered double perovskite
41. H. Sawada and K. Kawakami  
J. Appl. Phys., Vol. 86, No. 2, (1999) P. 956–959  
Electronic structure of oxygen vacancy in Ta<sub>2</sub>O<sub>5</sub>
42. K. Terakura, J. Lee, J. Yu, I. V. Solovyev and H. Sawada  
Materials Science & Engineering B, Vol. 63, (1999) P. 11–16  
Orbital and charge orderings and magnetism in perovskite-type transition-metal oxides
43. K. Terakura, I. V. Solovyev and H. Sawada  
Colossal magneto-resistive oxides, (1999) P. 119–148  
Electronic, magnetic and structural properties of perovskite manganites
44. Z. Fang, K. Terakura, H. Sawada, I. Solovyev and T. Miyazaki  
Physics meets mineralogy, (2000) P. 124–142  
First-principles study of the high-pressure phases of MnO and FeO: normal and inverse NiAs structures
45. H. Sawada and K. Kawakami  
Phys. Rev. B, Vol. 62, No. 3, (2000) P. 1851–1858  
First principles calculation of the interaction between nitrogen atoms and vacancies in silicon
46. 澤田英明、川上和人  
新日鉄技報, Vol. 373, (2000) P. 34–38  
シリコン中の窒素と空孔の相互作用の第一原理計算

47. H. Sawada, K. Kawakami  
Nippon Steel Technical Report, Vol. 83, (2001) P. 37-41  
First principles calculation of interaction between nitrogen atoms and vacancies in silicon
48. M. Asato, T. Mizuno, T. Hoshino and H. Sawada  
Mater. Trans., Vol. 42, No. 11, (2001) P. 2216-2224  
Full-potential KKR calculations for point defect energies in metals, based on the generalized-gradient approximation: II. Impurity-impurity interaction energies and phase diagrams
49. H. Sawada, K. Kawakami, A. Ikari and W. Ohashi  
Phys. Rev. B, Vol. 65, No. 7, (2002) P. 075201  
Atomistic model of nitrogen diffusion in silicon
50. K. Iwata, T. Matsumiya, H. Sawada and K. Kawakami  
Acta Mater., Vol. 51, No. 2, (2003) P. 551-559  
Prediction of thermodynamic properties of solute elements in Si solutions using first-principles calculations
51. 澤田英明、川上和人、杉山昌章  
日本金属学会誌, Vol. 68, No. 12, (2004) P. 977-982  
第一原理計算による  $\alpha$  Fe 中の置換型元素と侵入型元素の相互作用
52. H. Sawada, K. Kawakami and M. Sugiyama  
Mater. Trans., Vol. 46, No. 6, (2005) P. 1140-1147  
Interaction between substitutional and interstitial elements in  $\alpha$  iron studied by first-principles calculation
53. H. Sawada  
Comp. Mater. Sci., Vol. 55, (2012) P. 17-22  
First-principles study of grain boundary embrittlement in Fe-Ni-S alloy
54. 澤田英明、尾崎泰助  
新日鉄技報, Vol. 392, (2012) P. 8-13  
鋼中析出物界面の構造とエネルギーの第一原理計算
55. H. Sawada, S. Taniguchi, K. Kawakami and T. Ozaki  
Modeling and Simulation in Materials Science and Engineering, Vol. 21, No. 4, (2013) P. 045012  
First-principles study of interface structure and energy of Fe/NbC
56. H. Sawada and T. Ozaki  
Nippon Steel Technical Report, Vol. 102, (2013) P. 9-14  
Structure and Energy of Interface between Iron and Precipitate
57. T. Tanaka and H. Sawada  
ISIJ Inter., Vol. 53, No. 7, (2013) P. 1289-1291  
Mechanism of Grain Boundary Embrittlement in Fe-Ni-S Alloys
58. 澤田英明  
ふえらむ, Vol. 19, No. 11, (2014) P. 739-744  
鋼中析出物界面の第一原理計算

59. H. Sawada, K. Kawakami, F. Kormann, B. Grabowski, T. Hickel and J. Neugebauer  
Acta Mater., Vol. 102, (2015) P. 241–250  
Partitioning of Cr and Si between cementite and ferrite derived from first-principles thermodynamics
60. N. Maruyama, N. Yoshinaga, H. Sawada and M. Takahashi  
ISIJ Int., Vol. 55, No. 12, (2015) P. 2648–2656  
Improvement of Anti-aging Property at Low Temperature by Cr Addition in Bake Hardenable Ultra Low Nitrogen Steels
61. 澤田英明  
金属, Vol. 85, No. 11, (2015) P. 949–956  
第一原理計算の鉄鋼材料への適用
62. 澤田英明、譯田真人、香山正憲  
ケイサンブッソウガク, (2015) P. 106–109  
計算物質科学がなしつけた発見と予測：鉄
63. M. Wakeda, T. Tsuru, M. Kohyama, T. Ozaki, H. Sawada, M. Itakura, S. Ogata  
Acta Mater., Vol. 131, (2016) P. 445–456  
Chemical misfit origin of solute strengthening in iron alloys
64. 芳賀純、澤田英明、潮田浩作  
鉄と鋼, Vol. 103, No. 5, (2017) P. 221–229  
Ti 添加極低炭素冷延鋼板の再結晶核成長に及ぼすBの影響
65. H. Sawada, S. Taniguchi, K. Kawakami and T. Ozaki  
Metals, Vol. 7, No. 7, (2017) P. 277  
Transition of the Interface between Iron and Carbide Precipitate From Coherent to Semi-Coherent
66. 尾崎泰助、澤田英明  
固体物理, Vol. 52, No. 11, (2017) P. 575–585  
低スケーリング手法の開発とその応用
67. Jun Haga, H. Sawada, K. Ushioda  
ISIJ Int., Vol. 58, No. 10, (2018) P. 1901–1909  
Effect of B on Growth of Recrystallized Grain of Ti-added Ultra-low Carbon Cold-rolled Steel Sheets
68. 二宮翔、神谷和孝、為則雄祐、鶴田一樹、岡島敏浩、吉村大介、澤田英明、木下恵介、西堀麻衣子  
鉄と鋼, Vol. 104, No. 11, (2018) P. 628–633  
軟X線吸収分光法によるフェライト鋼中微量固溶炭素の化学状態観察
69. K. Ito, H. Sawada and S. Ogata  
Phys. Rev. Mater., Vol. 3, No. 1, (2018) P. 013609  
First-principles study on the grain boundary embrittlement of bcc-Fe by Mn segregation
70. 澤田英明、芳賀純、潮田浩作  
新日鉄住金技報, Vol. 410, (2018) P. 16–23  
 $\alpha$ -Fe 中におけるBと遷移金属元素との原子間相互作用の第一原理計算—Ti添加極低炭素冷延鋼板の再結晶挙動に及ぼすBの影響—

71. H. Sawada, N. Maruyama, S. Tabata and K. Kawakami  
ISIJ Int., Vol. 59, No. 6, (2019) P. 1128–1135  
Dependence of Carbon Concentration and Alloying Elements on the Stability of Iron Carbides
72. K. Ninomiya, K. Kamitani, Y. Tamenori, K. Tsuruta, T. Okajima, D. Yoshimura, H. Sawada,  
K. Kinoshita and M. Nishibori  
ISIJ Int., Vol. 60, No. 1, (2019) P. 114–119  
Observation of Chemical State for Interstitial Solid Solution of Carbon in Low-carbon Steel  
by Soft X-ray Absorption Spectroscopy
73. H. Sawada, J. Haga and K. Ushioda  
Nippon Steel & Sumitomo Metal Technical Report, Vol. 120, (2019) P. 15–21  
First-principles Calculation of Interaction between Boron Atom and Transition Metal Elements  
in  $\alpha$ -Fe
74. 潮田浩作、高田健、高橋淳、木下恵介、澤田英明  
日本金属学会誌, Vol. 82, No. 10, (2019) P. 353–362  
低炭素鋼における焼入れ後の 50°C 時効に伴う炭素の存在状態と機械的性質の変化
75. 澤田英明  
ふえらむ, Vol. 24, No. 11, (2019) P. 702–709  
第一原理計算による鋼中析出物の予測
76. 小西剛嗣、澤田英明、土井教史、潮田浩作  
鉄と鋼, Vol. 106, No. 4, (2020) P. 205–213  
第一原理計算と放射光 X 線回折による溶融亜鉛めつき浴中のトップドロスの結晶構造解析
77. T. Maeda, Y. Kawahara, K. Kinoshita, H. Sawada, J. Takahashi, R. Teranishi and K. Kaneko  
Materials Characterization, Vol. 159, (2020) P. 110006  
An answer to the carbon cluster in low-temperature aged ferritic low-carbon steel
78. 下川智嗣、安井紀一朗、新山友暉、木下恵介、澤田英明  
日本金属学会誌, Vol. 84, No. 1 (2020) P. 19–27  
炭素クラスターの強化機構に関する原子論的研究
79. K. Ushioda, K. Takada, J. Takahashi, K. Kinoshita and H. Sawada  
Materials Transactions, Vol. 61, No. 4, (2020) P. 668–677  
Changes in States of Carbon and Mechanical Properties with Aging at 50 °C after Quenching  
in Low Carbon Steel
80. 澤田英明、丸山直紀、田畠進一郎、川上和人  
鉄と鋼, Vol. 106, No. 6, (2020) P. 352–361  
鉄炭化物の安定性への炭素濃度と合金元素の依存性